

Fire Fighting Foam

Safety Data Sheet

SECTION 1: Product and company identification

Product name : Fire Fighting Foam
 Use of the substance/mixture : AFFF
 Product code : 0697
 Company : Cannon Industrial Products
 PO Box 291344
 Nashville, TN 37229 - USA
 T (615) 391-4048

EMERGENCY RESPONSE : INFOTRAC (NORTH AMERICA): 1-800-535-5053
 (INTERNATIONAL): 1-352-323-3500

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Skin Irrit. 2 H315

Eye Dam. 1 H318

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



GHS05

Signal word (GHS-US)

Danger

Hazard statements (GHS-US)

Causes skin irritation
 Causes serious eye damage

Precautionary statements (GHS-US)

Wash thoroughly after handling
 Wear eye protection, protective clothing, protective gloves
 If on skin: Wash with plenty of water
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a doctor, a POISON CENTER
 If skin irritation occurs: Get medical advice/attention
 Take off contaminated clothing and wash before reuse

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Full text of H-phrases: see section 16

3.2. Mixture

Name	Product Identifier	%	Classification (GHS-US)
2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether	(CAS No) 112-34-5	7-13	Eye Irrit. 2A, H319
sodium dodecyl sulphate	(CAS No) 151-21-3	5-10	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
ethanediol, ethylene glycol	(CAS No) 107-21-1	1-5	Acute Tox. 4 (Oral) H302

Fire Fighting Foam

Safety Data Sheet

Name	Product identifier	%	Classification (GHS-US)
Cocoamide	(CAS No) 8051-30-7	1-5	Skin Irrit. 2, H315 Eye Dam. 1, H318

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove the victim into fresh air.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after ingestion	: Rinse mouth with water. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: Causes skin irritation. Causes serious eye damage.
Symptoms/injuries after inhalation	: None under normal use.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: Gastrointestinal complaints.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media allowed.

5.2. Special hazards arising from the substance or mixture

Reactivity : The product is non-reactive under normal conditions of use, storage and transport. Thermal decomposition may produce : carbon oxides.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

Protective equipment : Protective goggles. Gloves. Protective clothing.

Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers.

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

No additional information available

Fire Fighting Foam

Safety Data Sheet

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing.
- Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Comply with applicable regulations.
- Storage conditions : Keep container closed when not in use.
- Incompatible products : strong acids.
- Storage area : Meet the legal requirements. Store in a cool area. Store in a dry area.
- Special rules on packaging : meet the legal requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ethanediol, ethylene glycol (107-21-1)

ACGIH	ACGIH TWA (mg/m ³)	10 mg/m ³
ACGIH	Remark (ACGIH)	URT & eye irr

2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether (112-34-5)

ACGIH	ACGIH TWA (ppm)	10 ppm
-------	-----------------	--------

8.2. Exposure controls

- Personal protective equipment : Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Protective clothing. Safety glasses.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Appearance : clear, slight yellow. Liquid.
- Odor : mild detergent odor
- Odor threshold : No data available
- pH : 9.5 - 10.5
- Melting point : No data available
- Freezing point : No data available
- Boiling point : No data available
- Flash point : > 200 °F Closed Cup
- Relative evaporation rate (butyl acetate=1) : No data available
- Flammability (solid, gas) : No data available
- Explosion limits : No data available
- Explosive properties : No data available
- Oxidizing properties : No data available
- Vapor pressure : No data available
- Relative density : No data available
- Relative vapor density at 20 °C : No data available
- Specific gravity / density : 1.03 g/ml
- Solubility : Soluble in water.
- Log Pow : No data available
- Log Kow : No data available

Fire Fighting Foam

Safety Data Sheet

Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
VOC content	: < 0.1 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. Thermal decomposition may produce : carbon oxides.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

ethanediol, ethylene glycol (107-21-1)	
LD50 oral rat	4700 mg/kg
LD50 dermal rabbit	10626 mg/kg
ATE CLP (oral)	500.000 mg/kg body weight
ATE CLP (dermal)	10626.000 mg/kg body weight
sodium dodecyl sulphate (151-21-3)	
LD50 oral rat	1200 mg/kg body weight (Rat; OECD 401: Acute Oral Toxicity; Experimental value)
LD50 dermal rabbit	> 2000 mg/kg body weight (Rabbit; Read-across; Equivalent or similar to OECD 402)

Skin corrosion/irritation	: Causes skin irritation. pH: 9.5 - 10.5
Serious eye damage/irritation	: Causes serious eye damage. pH: 9.5 - 10.5
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: None under normal use.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: Gastrointestinal complaints.

Fire Fighting Foam

Safety Data Sheet

SECTION 12: Ecological information

12.1. Toxicity

sodium dodecyl sulphate (151-21-3)	
LC50 fish 1	4.62 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Nominal concentration)
EC50 Daphnia 1	6.3 - 7.8 mg/l (48 h; Daphnia magna; Static system)
EC50 other aquatic organisms 1	18 mg/l (168 h; Lemna sp.)
LC50 fish 2	7.97 mg/l (96 h; Brachydanio rerio; Lethal)
EC50 Daphnia 2	12.6 mg/l (48 h; Daphnia pulex)
Threshold limit other aquatic organisms 1	40 mg/l (72 h; Protozoa)
Threshold limit algae 1	14.8 mg/l (72 h; Chlorophyta)
Threshold limit algae 2	0.02 mg/l (192 h; Scenedesmus quadricauda; Growth rate)

12.2. Persistence and degradability

sodium dodecyl sulphate (151-21-3)	
Persistence and degradability	Readily biodegradable in water. Highly mobile in soil.

12.3. Bioaccumulative potential

sodium dodecyl sulphate (151-21-3)	
BCF fish 1	3.9 - 5.3 (72 h; Cyprinus carpio)
BCF fish 2	7.15 (Pisces; Chronic)
Log Pow	<= -2.03 (Calculated; OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method; 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT : Not regulated for transport

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

ethanediol, ethylene glycol	CAS No 107-21-1	1-5
-----------------------------	-----------------	-----

ethanediol, ethylene glycol (107-21-1)

Listed on SARA Section 313 (Specific toxic chemical listings)

RQ (Reportable quantity, section 304 of EPA's List of Lists)	5000 lb
--	---------

Fire Fighting Foam

Safety Data Sheet

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity.

SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.


Full text of H-phrases:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Sol. 2	Flammable solids Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H228	Flammable solid
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.